

**B.TECH**  
**(SEM II) THEORY EXAMINATION 2018-19**  
**ENGINEERING CHEMISTRY**

**Time: 3 Hours****Total Marks: 70****Note: 1.** Attempt all Sections. If require any missing data; then choose suitably.**SECTION A****1. Attempt all questions in brief. 2 x 7 = 14**

- a. What is Schottky defect? Give examples.
- b. What are Bio-degradable polymers? Discuss their importance.
- c. Which stereo specific isomer of polypropylene can be prepared by Ziegler-Natta catalyst?
- d. What is salt bridge? Mention its function in an electrochemical cell.
- e. Why hardness is expressed in terms of CaCO<sub>3</sub> equivalents?
- f. Calculate the no. of P, C and F in the following systems-
  - i. NH<sub>4</sub>Cl(S)  $\rightleftharpoons$  NH<sub>3</sub> (g) + HCl (g) (open system)
  - ii. NH<sub>4</sub>Cl(S)  $\rightleftharpoons$  NH<sub>3</sub> (g) + HCl (g) (closed system)
- g. Why TMS is taken as a standard reference in NMR Spectroscopy.

**SECTION B****2. Attempt any three of the following: 7 x 3 = 21**

- a. What do you understand by Mesomorphic state? Classify them on the basis of temperature and mention three important applications of it.
- b. What are the limitations of raw rubber? Explain the process of vulcanization of rubber and mention the improvement in vulcanized rubber over raw rubber.
- c. Discuss the electrochemical theory of corrosion. How corrosion is prevented by sacrificial anodic protection and impressed current cathodic protection.
- d. Outline the salient features of the phase diagram of water system highlighting the name of system (areas, curves and points), phase in equilibrium and degree of freedom in each case.
- e. Differentiate between Gross and Net calorific value of a fuel. A sample of coal contain C=89%, H=8% and ash=3%. The following data were obtained when the above coal was tested in bomb calorimeter:
  - Weight of coal burnt= 0.85 g
  - Weight of water taken= 650 g
  - Water equivalent of bomb and calorimeter= 2500 g
  - Rise in temperature= 2.5°C
  - Fuse wire correction = 10 cal
  - Acid correction= 50.0 cal
  - Cooling correction= 0.03 °C
 Calculate gross and net calorific values of the coal.

**SECTION C****3. Attempt any one part of the following: 7 x 1 = 7**

- (a) Draw the Molecular Orbital diagram of NO and O<sub>2</sub>. Calculate its bond order and predict the magnetic behavior.
- (b) Explain the preparation, properties and applications of an allotrope of Carbon having truncated icosahedron geometry.

4. Attempt any *one* part of the following: 7 x 1 = 7
- (a) What are conducting polymers? Give the classification and mention their important applications.
- (b) What are organometallic compounds? Give the classification and applications of organometallics.
5. Attempt any *one* part of the following: 7 x 1 = 7
- (a) Describe the electrochemical theory of corrosion on the basis of Hydrogen evolution and oxygen absorption mechanism.
- (b) What is Portland cement? Give the chemical reactions involved during setting and hardening of cement.
6. Attempt any *one* part of the following: 7 x 1 = 7
- (a) Discuss the phase diagram of water system highlighting the name of system (areas, curves and points), phase in equilibrium and degree of freedom in each case.
- (b) Calculate the amount of lime and soda required for 1,00,000 liters of hard water with following analysis using 139 ppm of  $\text{FeSO}_4 \cdot 7\text{H}_2\text{O}$  as coagulant. The result of the analysis of raw water and softened water are as follows:  
**Raw water:**  $\text{Ca}^{2+} = 160$  ppm,  $\text{Mg}^{2+} = 288$  ppm,  $\text{HCO}_3^- = 1464$  ppm, Dissolved  $\text{CO}_2 = 20$  ppm  
**Treated water:**  $\text{CO}_3^{2-} = 60$  ppm,  $\text{OH}^- = 34$  ppm
7. Attempt any *one* part of the following: 7 x 1 = 7
- (a) A compound having the molecular formula  $\text{C}_{12}\text{H}_{14}\text{O}_4$  gave the following  $^1\text{H-NMR}$  data- 2.6  $\tau$  (4H singlet), 5.6  $\tau$  (4H, quartet), 8.5  $\tau$  (6H, Triplet). Identify the compound based on proper explanation.
- (b) How percentage of nitrogen can be estimated in coal? 1.56 gm of coal was kjeldahlised and the  $\text{NH}_3$  gas evolved was absorbed in 50.0 ml of 0.1 N  $\text{H}_2\text{SO}_4$ . After absorption, the excess (residual) acid required 6.25 ml of 0.1 N NaOH for exact neutralization. Calculate the percentage of nitrogen in coal.