

B PHARM
(SEM-II) THEORY EXAMINATION 2018-19
PHARMACEUTICAL MATHEMATICS AND BIOSTATISTICS

*Time: 3 Hours**Total Marks: 70***Note: 1.** Attempt all Sections. If require any missing data; then choose suitably.**SECTION A****1. Attempt all questions in brief.****2 x 7 = 14**

a. What is the value of determinant:

$$\Delta = \begin{vmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{vmatrix}$$

b. Is the product of two matrices of order $n \times n$ and $m \times m$ possible, if $m \neq n$?c. Differentiate $y = \log x$ w. r. t. x

d. Find the mode of the following data: 2,3,4,3,4,5,6,3,7,3,1,0,3

e. What is the difference between correlation and regression?

f. Find the probability that a person tossing 3 fair coins get either all heads or all tails.

g. Binomial Probability distribution is continuous or discrete distribution?

SECTION B**2. Attempt any three of the following:****7 x 3 = 21**a. If $A = \begin{bmatrix} 2 & 3 \\ 5 & 1 \end{bmatrix}$ and $B = \begin{bmatrix} 1 & 2 \\ 3 & 1 \end{bmatrix}$, find $2A-3B$.b. Evaluate $\lim_{x \rightarrow 0} \frac{a^x - b^x}{x}$.

c. Draw the Pie-Diagram to represent the following data:

Items	Food	Clothing	Rent	Medical	Others
Expenditure	1500	700	800	325	860

d. Compute the coefficient of correlation between X and Y, using the following data:

X	1	3	5	7	8	10
Y	8	12	15	17	18	20

e. Two random samples gave the following data:

Sample no.	side	mean	variance
1	8	9.6	1.2
2	11	16.5	2.5

Can we conclude that the two samples have been drawn from the same normal population?

SECTION C

3. Attempt any **one** part of the following: 7 x 1 = 7

(a) If $A = \begin{bmatrix} 2 & 0 & 0 \\ 0 & -5 & 0 \\ 0 & 0 & 9 \end{bmatrix}$, $B = \begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & -4 \end{bmatrix}$, $C = \begin{bmatrix} -6 & 0 & 0 \\ 0 & 3 & 0 \\ 0 & 0 & 4 \end{bmatrix}$,
Find $B + C - 2A$.

(b) Apply the matrix method to solve the system of equations:-

$$x + 2y - z = 3$$

$$3x - y + 2z = 1$$

$$2x - 2y + 3z = 2$$

$$x - y + z = -1$$

4. Attempt any **one** part of the following: 7 x 1 = 7

(a) If $f(x) = \frac{2x}{1+x^2}$, prove that $f(\tan\theta) = \sin 2\theta$.

(b) Evaluate $\int_0^{\pi/2} \log \tan x \, dx$.

5. Attempt any **one** part of the following: 7 x 1 = 7

(a) For the following blood pressure measurements :100, 98, 101, 94, 104, 102, 108, 108,
Calculate mean and standard deviation.

(b) Construct a histogram, frequency polygon and frequency curve for the following distribution of marks in a final exam.

Class	10-20	20-30	30-40	40-50	50-60	60-70	70-80	80-90
Frequency	4	13	22	15	10	10	5	1

6. Attempt any **one** part of the following: 7 x 1 = 7

(a) Calculate the Karl Pearson's coefficient of skewness K from the following data

Age in years	11	13	12	13	15	21	25	27	28	31
--------------	----	----	----	----	----	----	----	----	----	----

(b) The heights of 10 males of a given locality are found to be 175, 168, 155, 170, 152, 170, 175, 160, 160 and 165 cms. Based on this sample, find the 95% confidence limits for the heights of males in that locality.

7. Attempt any **one** part of the following: 7 x 1 = 7

(a) Fit a Poisson distribution to the following data :

Deaths	0	1	2	3	4
Frequency	109	65	22	3	1

(b) What is the probability that three of six patients will be cured if the probability of a cure is 0.60?