

SECTION—B

2. Attempt any **three** parts of this question. Each part carries 8 marks. **(8×3=24)**

- (a) An electron has de-Broglie wavelength 2.0×10^{-12} m. Find its kinetic energy. Also find the phase and group velocities of its de-Broglie waves.
- (b) A superconducting material has a critical temperature of 3.7 K in zero magnetic field of 0.306 Tesla at 0 K. Find the critical field at 2 K.
- (c) The dielectric constant of helium at 0°C and 1 atmospheric pressure is 1.000074. Find the dipole moment induced in helium atom when the gas is in an electric field of intensity 100 V/m. Number of atoms per unit volume of helium gas are 2.68×10^{27} .
- (d) In an n-type semiconductor, the Fermi level is 0.3 eV below the conduction band at 300 K. If the temperature is increased at 330 K. Find the new position of Fermi level.
- (e) Calculate the mean free path of the molecules of a gas in a chamber of 10^{-6} mm of mercury pressure, assuming the molecular diameter to be 2 Å. Take the temperature of the chamber to be 273 K and Boltzmann constant $k = 1.38 \times 10^{-23}$ J/K.

SECTION—C

Attempt any **one** part of all the questions of this Section. Each questions carries 8 marks. **(8×5=40)**

3. (a) What is Heisenberg's uncertainty principle ? State and explain any two applications of the principle.
- (b) Derive Schrodinger time independent and time dependent equations for matter waves.

4. (a) What are Type I and Type II superconductors ? Distinguish between the two types of semiconductors.
- (b) What are buckyballs ? How can the buckyballs be created ? Where are these buckyballs used ?
5. (a) Derive Claussius-Mossotti relation in dielectrics subjected to static field.
- (b) Discuss the Langevin's theory for diamagnetic and paramagnetic materials.
6. (a) What do you understand by photovoltaic effect ? Describe the working of a solar cell with suitable diagram. Also give applications of solar cells.
- (b) Discuss the theory of Joule-Thomson expansion. Describe the adiabatic demagnetization.
7. (a) Explain the construction and working of pin photodiode and avalanche photodiode with neat diagrams.
- (b) Explain the generation of high pressure using hydraulic system and using diamond anvil system.

Physical Constants :

Mass of electron	$m_e = 9.1 \times 10^{-31} \text{ kg}$
Speed of Light	$c = 3 \times 10^8 \text{ m/s}$
Planck's constant	$h = 6.63 \times 10^{-34} \text{ J-s}$
Mass of Proton	$m_p = 1.67 \times 10^{-27} \text{ kg}$
Permeability of free space	$\mu_0 = 4\pi \times 10^{-7} \text{ H/m}$
Permittivity of free space	$\epsilon_0 = 8.854 \times 10^{-12} \text{ F/m}$
Avogadro's number	$N = 6.023 \times 10^{23} \text{ per mole}$