



Printed Pages : 4

TCS - 405

(Following Paper ID and Roll No. to be filled in your Answer Book)

PAPER ID : 1071

Roll No.

B. Tech.

(SEM. IV) EXAMINATION, 2006-07

THEORY OF AUTOMATA & FORMAL LANGUAGES

Time : 3 Hours]

[Total Marks : 100


- Note : (1) Attempt all questions.  
 (2) All questions carry equal marks.

1 Attempt any two parts of the following :

- (a) (i) Find the transitive closure  $R^+$  and reflexive and transitive closure  $R^*$  of the relation- 4

$$R = \{(1, 2), (2, 3), (3, 4), (5, 4)\}$$

- (ii) Consider the following transition diagram- 6



Test whether the string 110101 is accepted by the finite automata represented by above transition diagram. Show the entire sequence of states traversed.

- (b) Give DFA accepting the following languages 10  
over the alphabet  $\{0, 1\}$ -
- (i) The set of all strings with three consecutive zeros.
  - (ii) The set of all strings such that every block of 05 consecutive symbols contains at least two zeros.
- (c) Find the equivalence partition and corresponding 10  
reduced machine in standard form, for the following machine -

PS	NS, Z	
	X = 0	X = 1
A	F, 0	B, 1
B	G, 0	A, 1
C	B, 0	C, 1
D	C, 0	B, 1
E	D, 0	A, 1
F	E, 1	F, 1
G	E, 1	G, 1

where, PS = Present State, NS = Next State  
Z = Output, X = I/P

2 Attempt any two questions :

- (a) Construct DFA equivalent to the NFA- 10  
 $(\{p, q, r, s\}, \{0, 1\}, \delta, p, \{s\})$ , where  $\delta$  is given by

	0	1
p	p, q	p
q	r	r
r	s	-
s	s	s

V-1071]

2

[Contd...

- (b) Construct NFA for  $(a/b)^+$  and derive DFA through subset construction algorithm. 10
- (c) Prove or disprove the following for regular expressions  $r$ ,  $s$  and  $t$  10
- (i)  $(r+s)^* = r^* + s^*$
- (ii)  $s(rs+s)^* r = rr^* s(rr^* s)^*$

3 Attempt any **four** questions :

- (a) Construct finite automata equivalent to following regular expression - 5
- $10 + (0 + 11)0^*1$
- (b) Write regular expression for the following language over the alphabet  $\{0, 1\}$  - 5
- “The set of all strings not containing 101 as a substring.”
- (c) Explain the procedure to convert a Moore machine into its corresponding Mealy machine, with the help of an example. 5
- (d) Find parse tree for the expression abbcede 5 considering the productions -
- $S \rightarrow aAcBe$
- $A \rightarrow Ab$
- $A \rightarrow b$
- $B \rightarrow d$
- (e) What is an ambiguous grammar ? Explain with example. 5

- (f) Consider the grammar  $(\{S, A, B\}, \{a, b\}, P, S)$  5  
that has the productions -

$$S \rightarrow bA/aB$$

$$A \rightarrow bAA/aS/a$$

$$B \rightarrow aBB/bS/b$$

Find an equivalent grammar in CNF.

- 4 Attempt any **two** questions :

- (a) Define concept and working of a PDA. 10

- (b) Construct a PDA equivalent to the following 10  
grammar-

$$S \rightarrow aAA$$

$$A \rightarrow aS/bS/a$$

- (c) Construct a PDA accepting the language- 10

$$\{a^i b^j c^k / i \neq j \text{ or } j \neq k\}$$

- 5 Attempt any **four** questions :

- (a) Define the basic model of a Turing machine. 5

- (b) Explain the techniques for Turing machines 5  
construction.

- (c) Explain Church's thesis. 5

- (d) Design Turing machine to compute the function 5  
 $f(n) = n^2$

- (e) Design Turing machine to recognize the language- 5  
"The set of strings with an equal no. of 0's  
and 1's."

- (f) Give recursive definitions for :  $n + m$ . 5