



PAPER ID-411141

Printed Page: 1 of 2
Subject Code: KIT052

Roll No:

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

B.TECH
(SEM V) THEORY EXAMINATION 2021-22
COMPILER DESIGN

Time: 3 Hours

Total Marks: 100

Note: 1. Attempt all Sections. If require any missing data; then choose suitably.

SECTION A

- 1. Attempt *all* questions in brief.** **2 x 10 = 20**
- Explain the role of parser in compiler design.
 - What is meant by Dead code elimination?
 - What is LR(k) parsing?
 - Write Regular Expression for specifying Identifiers and Constants of C.
 - List the three kinds of intermediate representation.
 - Differentiate constant propagation and variable propagation.
 - Explain inherited translation.
 - Write the difference between syntax and semantic analysis.
 - Write three address code for the expression $a := 6*2+7$.
 - Define common sub expressions?

SECTION B

- 2. Attempt any *three* of the following:** **10 x 3 = 30**
- Construct the SLR parse table for the following Grammar.
 $S \rightarrow AaAb$
 $S \rightarrow BbBa$
 $A \rightarrow \epsilon$
 $B \rightarrow \epsilon$
 - Differentiate between S- attribute SDT and L-attribute SDT with suitable example.
 - Write down techniques to recover errors from LR parser. Explain with an example
 - What is the pass of a compiler? Explain how the single and multi pass compiler work.
 - Generate three address code for the following code segment.
for (i=1;i<=10;i++)
If (c<d) then x= y+z

Roll No:

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

SECTION C

3. Attempt any *one* part of the following: 10 x 1 = 10
- a. Draw a DAG for the expression:
 $a+a*(b-c)+(b-c)*d$.
- b. Construct the NFA and DFA for the following regular expression.
 $(a+b)^* abb$.
4. Attempt any *one* part of the following: 10 x 1 = 10
- a. Discuss the following terms:
- i. Loop jamming
 - ii. Loop unrolling
 - iii. Constant folding
- b. Explain the following with example: i) Quadqaples ii) Triples iii) Indirect triple
5. Attempt any *one* part of the following: 10 x 1 = 10
- a. Generate three address code for the following code segment. There are four bytes per word:
- ```
sum=0;
for(j=1;j<=20;i++)
sum = sum+ a[j]+ b[j];
```
- b. How will you determine with the help of a parse tree, that the given grammar is ambiguous? Explain with example.
6. Attempt any *one* part of the following: 10 x 1 = 10
- a. What is Symbol Table? Explain in detail about its contents and data structure.
- b. Explain why Bottom up parsing is more generally applicable then Top down parsing.
7. Attempt any *one* part of the following: 10 x 1 = 10
- a. What are the various storage management techniques available for symbol table? Explain these with the help of suitable programming example.
- b. Construct the predictive parsing table for the following grammar:
- ```
S→A
A→aB / Ad
B→Bbc/f
C→g
```